



EXTRA

INDEX

04 _COMPANY

07 _MTB

08 _ARES

09 _FIX

10 _FIX-15

10 _CASTOS

11 _CASTOS-15

17 _JUNGLE

13 _FATBIKE

14 _EXPLORE

15 _MUSCLE MAX

26 _MUSCLE 4.0

26 _MUSCLE PRO

17 _STRONG

19 _DOWNHILL

20 _EXPLORE-DH

21 _ARS-DH

22 _FIX-DH

22 _CASTOS-DH

23 _MASCLE-DH

23 _STRONG-DH

24 _COWBOY-PRO

24 _COWBOY

27 _URABAN

28 _RAY-PRO

28 _RAY

COMPANY

WE ARE THE FEARLESS PLAYERS

EXSHO built an international team that offer the best expertise bringing together people from many countries such as Taiwan, Italy and mainland China. Creating successful work groups is essential to create an all-new bike forks brand, and we rely on the most promising workforce from around the world. We're born with the funding goal of becoming the most reliable partner of all riders, and when it comes to race, we aim to be their reference brand for any competition.

HARD SKILLS FOR PRODUCTION

Our company has been focusing on the production of bicycle suspension for nearly 10 years. With accumulated abundant experience in R&D, marketing, automation, intelligence and diversified production, all this experience becomes the foundations of EXSHO. With the stable foundation, we also keep investing in development. We are committed to creating challenging high-end projects that allow the player both enjoy and trust our technical products, as well as product that brings the comfortable, durable, reliable and easy to maintain for daily user. EXSHO can all satisfy any kinds of situation.

TOP PRODUCTION SKILLS

For over 10 years, we are focused on manufacturing high-quality bike suspension, and we have already proven our marketing skills and our capability in R&D, automation intelligence, and mass production. With the goal of making innovative products, we constantly invest in research and development, and we are committed to creating products that meet both fun and performance, satisfying different needs.



DEFEAT THE SHOCKS



MTB


Enjoy your weekend! Have fun and feel the breeze on your face: EXSHO takes you further, and makes riding more thrilling than ever.

Our forks are everything you need wherever you go.

Where to next?




ARES




ARES				
	A-TNL	A-TNL-R	A-RL	A-RL-R
STEERER	Aluminium 7050, $\phi 30(39.8) \times 28.6$			
CROWN PITCH	Aluminium P145mm			
STANCHION	Aluminium- $\phi 36$ mm Hard Anodize			
CASTING	Magnesium 110* $\phi 15$ mm Thru Axle			
SPRING	Air Spring			
WHEEL SIZE	27.5" 29"			
TRAVEL	100/120/140/160mm			
BRAKE TYPE	Disc Brake 180/203mm			
MAX TIRE	2.8 Inch			

A Air
R Rebound

RL Remote Lock-out
TNL Hydraulic Lock-out



FIX




	FIX					
	A-TNL	A-TNL-R	A-RL	A-RL-R	TNL-P	RL-P
STEERER	Aluminium 7050, #39.8*28.6					
CROWN PITCH	Aluminium P145mm					
STANCHION	Aluminium-#34mm Hard Anodize				Steel-#34mm CP/QPQ	
CASTING	Magnesium Open Dropout 110*#9.8mm					
SPRING	Air Spring				Coil Spring	
WHEEL SIZE	27.5" 29"					
TRAVEL	100/120mm					
BRAKE TYPE	Disc Brake 180/203mm					
MAX TIRE	2.6 Inch					

A Air
R Rebound
P Preload Adjuster

RL Remote Lock-out
TNL Hydraulic Lock-out




FIX-15




	FIX-15					
	A-TNL	A-TNL-R	A-RL	A-RL-R	TNL-P	RL-P
STEERER	Aluminium 7050 #39.8*28.6					
CROWN PITCH	Aluminium P145mm					
STANCHION	Aluminium-#34mm Hard Anodize				Steel-#34mm CP/QPQ	
CASTING	Magnesium 110*#15mm Thru Axle					
SPRING	Air Spring				Coil Spring	
WHEEL SIZE	20" 24" 27.5" 29"					
TRAVEL	50/80/100/120mm					
BRAKE TYPE	Disc Brake 20"24"160/180mm, 27.5"29"180/203mm					
MAX TIRE	20" 24" 3.0 Inch / 27.5" 29" 2.6 Inch					

A	Air	RL	Remote Lock-out
R	Rebound	TNL	Hydraulic Lock-out
P	Preload Adjuster		



⚡CASTOS-15




	CASTOS-15					
	A-TNL	A-TNL-R	A-RL	A-RL-R	TNL-P	RL-P
STEERER	Aluminium 7050/Steel Ø30(39.8)*28.6					
CROWN PITCH	Aluminium P130mm					
STANCHION	Aluminium-Ø32mm Hard Anodize				Steel-Ø32mm CP/QPQ	
CASTING	Magnesium 100*Ø15mm Thru Axle					
SPRING	Air Spring				Coil Spring	
WHEEL SIZE	27.5" 29"					
TRAVEL	100/120mm					
BRAKE TYPE	Disc Brake 27.5"160/180mm, 29"180/203mm					
MAX TIRE	2.6 Inch					

A	Air	RL	Remote Lock-out
R	Rebound	TNL	Hydraulic Lock-out
P	Preload Adjuster		



CASTOS




	CASTOS					
	A-TNL	A-TNL-R	A-RL	A-RL-R	TNL-P	RL-P
STEERER	Aluminium 7075/Steel Ø30(39.8)*28.6					
CROWN PITCH	Aluminium P130mm					
STANCHION	Aluminium-Ø32mm Hard Anodize				Steel-Ø32mm CP/QPQ	
CASTING	Magnesium Open Dropout 100*Ø9.8mm					
SPRING	Air Spring				Coil Spring	
WHEEL SIZE	20" 26" 27.5" 29"					
TRAVEL	50/80/100/120mm					
BRAKE TYPE	Disc Brake 20"26"27.5"160/180mm, 29"180/203mm					
MAX TIRE	2.4 Inch					

A	Air	RL	Remote Lock-out
R	Rebound	TNL	Hydraulic Lock-out
P	Preload Adjuster		



JUNGLE



	JUNGLE						
	A-TNL	A-TNL-R	A-RL	A-RL-R	ML-P	TNL-P	RL-P
STEERER	Aluminium/Steel ϕ30(39.8)*28.6						
CROWN PITCH	Aluminium P130mm						
STANCHION	Aluminium-ϕ32/30mm Hard Anodize				Steel-ϕ32/30mm CP/QPQ		
CASTING	Magnesium Open Dropout 100*ϕ9.8mm				Aluminium Open Drop 100*ϕ9.8mm		
SPRING	Air Spring				Coil Spring		
WHEEL SIZE	(20" 24") 26" 27.5" 29"						
TRAVEL	50/80/100/120mm						
BRAKE TYPE	Disc Brake 160/180mm						
MAX TIRE	2.4 Inch						

A	Air	RL	Remote Lock-out
R	Rebound	TNL	Hydraulic Lock-out
P	Preload Adjuster	ML	Mechanical Lock-out

FATBIKE



Born for forests, designed for fun. Boost your ride with EXHO's forks!


With a sleek design, and packed with high-end features, our forks offer to the players all the possibility to play around.

Are you interested in such an adrenaline-fueled world? Try our forks in intense riding environments.




FATBIKE

EXPLORE




	EXPLORE					
	A-TNL	A-TNL-R	A-R	A-A	TNL-R	TNL
STEERER	Aluminium 7075, Ø30(39.8)*28.6					
CROWN PITCH	Aluminium P146/186mm					
STANCHION	Aluminium-Ø34mm Hard Anodize					
CASTING	Aluminium 110/150mm*Ø15/20mm Thru Axle					
SPRING	Air Spring				Coil Spring	
WHEEL SIZE	20" 24" 26" 27.5" 29"					
TRAVEL	50/80/100/120/140/160mm					
BRAKE TYPE	Disc Brake 180/203mm					
MAX TIRE	P146mm 3.0 Inch / 186mm 5.0 Inch					

A Air
R Rebound
TNL Hydraulic Lock-out



FATBIKE

MUSCLE-MAX



	MUSCLE-MAX					
	A-TNL	A-TNL-R	A-RL	A-RL-R	TNL-P	RL-P
STEERER	Aluminium/Steel, ϕ30(39.8)*28.6					
CROWN PITCH	Aluminium P190mm					
STANCHION		Aluminium-ϕ38mm Hard Anodize				
CASTING	Magnesium 150*ϕ15mm Thru Axle					
SPRING	Air Spring				Coil Spring	
WHEEL SIZE	20" 26"					
TRAVEL	80/100/120mm					
BRAKE TYPE	Disc Brake 180/203mm					
MAX TIRE	5.0 Inch					


A Air
R Rebound
P Preload Adjuster

RL Remote Lock-out
TNL Hydraulic Lock-out



FATBIKE

MUSCLE-4.0



	MUSCLE-4.0					
	A-TNL	A-TNL-R	A-RL	A-RL-R	TNL-P	RL-P
STEERER	Aluminium/Steel Ø30(39.8)*28.6					
CROWN PITCH	Aluminium P175mm					
STANCHION	Aluminium-Ø38mm Hard Anodize					
CASTING	Magnesium Open Dropout 135*Ø10mm					
SPRING	Air Spring				Coil Spring	
WHEEL SIZE	20" 26"					
TRAVEL	80/100/120mm					
BRAKE TYPE	Disc Brake 160/180mm					
MAX TIRE	4.0 Inch					

A

R

P

Air
Rebound
Preload Adjuster

RL


TNL

Remote Lock-out
Hydraulic Lock-out



FATBIKE

STRONG



MODEL	STRONG				
	A-TNL	A-RL	ML-P	TNL-P	P
STEERER	Aluminium/Steel $\varnothing 30(39.8)*28.6$				
CROWN PITCH	Aluminium P171mm				
STANCHION	Aluminium- $\varnothing 34$ mm Hard Anodize		Steel- $\varnothing 34$ mm CP/QPQ		
CASTING	Magnesium Open Dropout 135* $\varnothing 9.8$ mm		Aluminium Open Dropout 135* $\varnothing 9.8$ mm		
SPRING	Air Spring		Coil Spring		
WHEEL SIZE	20" 26"				
TRAVEL	50/80/100/120mm				
BRAKE TYPE	Disc Brake 160/180mm				
MAX TIRE	4.0 Inch				

A

P

Air
Preload Adjuster

RL


TNL

ML

Remote Lock-out
Hydraulic Lock-out
Mechanical Lock-out



MUSCLE-PRO



	MUSCLE-PRO					
	A-TNL	A-TNL-R	A-RL	A-RL-R	TNL-P	RL-P
STEERER	Aluminium/Steel Ø30(39.8)*28.6					
CROWN PITCH	Aluminium P175mm					
STANCHION	Aluminium-Ø38mm Hard Anodize					
CASTING	Magnesium Open Dropout 135*Ø15mm Thru Axle					
SPRING	Air Spring				Coil Spring	
WHEEL SIZE	20" 26"					
TRAVEL	80/100/120mm					
BRAKE TYPE	Disc Brake 180/203mm					
MAX TIRE	4.0 Inch					

A

R

P

Air
Rebound
Preload Adjuster

RL

TNL

Remote Lock-out
Hydraulic Lock-out



DOWNHILL



Decide how fun you could have in your ride: cruise through the landscape with our newest ARES-DH forks!


Hop on your bike, and enjoy the geometrically designed comfort of EXHO's forks.

Re-imagine your ride and reach your milestone with us.



DOWNHILL

EXPLORE - DH





	EXPLORE-DH					
	A-TNL	A-TNL-R	A-R	A-A	TNL-R	TNL
STEERER	Aluminium 7050, $\phi 30 \times 28.6$					
CROWN PITCH	Aluminium P146/171/186mm					
STANCHION	Aluminium- $\phi 34$ mm Hard Anodize					
CASTING	Aluminium 110/135/150mm* $\phi 15/20$ mm Thru Axle					
SPRING	Air Spring				Coil Spring	
WHEEL SIZE	20" 24" 26" 27.5" 29"					
TRAVEL	80/100/120/140/160mm					
BRAKE TYPE	Disc Brake 160/180mm					

A Air
R Rebound
TNL Hydraulic Lock-out





DOWNHILL

ARES - DH




ARES - DH			
	A-TNL	A-TNL-R	TNL-P
STEERER	Aluminium 7050, $\phi 30 \times 28.6$		
CROWN PITCH	Aluminium P145mm		
STANCHION	Aluminium- $\phi 36$ mm Hard Anodize		
CASTING	Aluminium 110* $\phi 15$ mm Thru Axle		
SPRING	Air Spring		Coil Spring
WHEEL SIZE	27.5" 29"		
TRAVEL	100/120/140/160mm		
BRAKE TYPE	Disc Brake 180/203mm		

A Air
R Rebound
P Preload Adjuster
TNL Hydraulic Lock-out



DOWNHILL

FIX-DH




	FIX-DH			
	A-TNL	A-TNL-R	TNL-R	TNL-P
STEERER	Aluminium/Steel Ø30*28.6			
CROWN PITCH	Aluminium P145mm			
STANCHION	Aluminium-Ø34mm Hard Anodize		Steel-Ø34mm CP/GPQ	
CASTING	Magnesium Open Dropout 110*Ø9.8mm (*Thru axle 110*15mm)			
SPRING	Air Spring		Coil Spring	
WHEEL SIZE	20" 24" 27.5" 29" (*27.5" 29")			
TRAVEL	80/100/120/140mm			
BRAKE TYPE	Disc Brake 20*24*160mm, 27.5*29*180/203mm			

A Air
R Rebound
P Preload Adjuster

TNL Hydraulic Lock-out



CASTOS-DH



	CASTOS-DH			
	A-TNL	A-TNL-R	TNL-R	TNL-P
STEERER	Aluminium/Steel $\varnothing 30 \times 28.6$			
CROWN PITCH	Aluminium P130mm			
STANCHION	Aluminium- $\varnothing 32$ mm Hard Anodize		Steel- $\varnothing 32$ mm CP/QPQ	
CASTING	Magnesium Open Dropout 100* $\varnothing 9.8$ mm (*Thru axle 100*15mm)			
SPRING	Air Spring		Coil Spring	
WHEEL SIZE	20" 26" 27.5" 29" (*27.5" 29")			
TRAVEL	50/80/100/120/140mm			
BRAKE TYPE	Disc Brake 20*24*26*27.5*160mm, 29*180/203mm			

A Air
R Rebound
P Preload Adjuster


TNL Hydraulic Lock-out

DOWNHILL



DOWNHILL

MUSCLE - DH



135/150MM

MASCLE-DH				
	A-TNL	A-TNL-R	TNL-P	P
STEERER	Aluminium/Steel $\phi 30 \times 28.6$			
CROWN PITCH	Aluminium P175/190mm			
STANCHION	Aluminium $\phi 38$ mm Hard Anodize			
CASTING	Magnesium Open Dropout 135* $\phi 9.8$ mm Thru axle 135*15mm $\phi 150 \times 15$ mm			
SPRING	Air Spring		Coil Spring	
WHEEL SIZE	20" 26"			
TRAVEL	120/140mm			
BRAKE TYPE	Disc Brake 180/203mm			


A Air
R Rebound
P Preload Adjuster

TNL Hydraulic Lock-out



DOWNHILL


COWBOY - PRO



COWBOY - PRO	
STEERER	Aluminium/Steel $\phi 30 \times 28.6$
CROWN PITCH	Aluminium P171/186mm
STANCHION	Steel $\phi 34$ mm QPQ
CASTING	Aluminium Open Dropout 150/135*10mm Thru Axle 150/135*15mm
SPRING	Air Spring / Coil Spring
WHEEL SIZE	20" 24" 26"
TRAVEL	50/80/100mm
BRAKE TYPE	Disc Brake 180/203mm
MAX TIRE	P171mm 4.0 Inch / 186mm 5.0 Inch



STRONG - DH




	STRONG-DH			
	A-TNL	A-TNL-R	TNL-P	P
STEERER	Aluminium/Steel φ30*28.6			
CROWN PITCH	Aluminium P171mm			
STANCHION	Aluminium-φ34mm Hard Anodize		Steel-φ34mm CP/QPQ	
CASTING	Magnesium Open Dropout 135*φ9.8mm		Aluminium Open Dropout 135*φ9.8mm	
SPRING	Air Spring		Coil Spring	
WHEEL SIZE	20" 26"			
TRAVEL	120/140mm			
BRAKE TYPE	Disc Brake 160/180mm			
MAX TIRE	4.0 Inch			

A Air
R Rebound
P Preload Adjuster

TNL Hydraulic Lock-out



COWBOY



COWBOY	
STEERER	Aluminium/Steel $\phi 30(39.8) \times 28.6$
CROWN PITCH	Aluminium P165/180mm
STANCHION	Steel $\phi 32$ mm CP/QPQ
OUT LEGS	Steel $\phi 42$ mm
CASTING	Aluminium Open Dropout 135/150*10mm Thru Axle 135/150*15mm
SPRING	Coil Spring
WHEEL SIZE	20" 24" 26"
TRAVEL	50/80/100mm
BRAKE TYPE	Disc Brake 180/203mm
MAX TIRE	4.0/5.0 Inch



URBAN




Relax! Cruising through your city has never been so pleasant. EXSHO's urban forks are specifically designed for leisure riding and urban commutes.

Conceived for those who love city adventures, these forks ensure excellent comfort even on uneven terrain and while riding in traffic.

Smooth, sleek, and technologically advanced. Get out and enjoy your day: the best way to explore your city is with EXSHO.

URBAN

RAY-PRO



	RAY-PRO			
	A-TNL	TNL-P	ML-P	P
STEERER	Aluminium/Steel �25.4*28.6			
CROWN PITCH	Aluminium P120mm			
STANCHION	Aluminium �32mm Hard Anodize		Steel �32mm CP/QPQ	
CASTING	Aluminium/Magnesium Open Dropout 100*�10mm			
SPRING	Air Spring		Coil Spring	
WHEEL SIZE	700 C			
TRAVEL	60/80mm			
BRAKE TYPE	Disc Brake 160mm			
MAX TIRE	2.0 Inch			

A

P

Air
Preload Adjuster

ML

TNL


Mechanical Lock-out
Hydraulic Lock-out



URBAN



RAY



	RAY			
	A-TNL	TNL-P	ML-P	P
STEERER	Aluminium/Steel $\varnothing 25.4 \times 28.6$			
CROWN PITCH	Aluminium P107mm			
STANCHION	Aluminium $\varnothing 30\text{mm}$ Hard Anodize		Steel $\varnothing 30\text{mm}$ CP/QPQ	
CASTING	Aluminium/Magnesium Open Dropout 100* $\varnothing 9.8\text{mm}$			
SPRING	Air Spring		Coil Spring	
WHEEL SIZE	700 C			
TRAVEL	60/80mm			
BRAKE TYPE	Disc & V-brake			
MAX TIRE	2.0 Inch			

A

P

Air
Preload Adjuster

ML

TNL

Mechanical Lock-out
Hydraulic Lock-out

DEFEAT THE SHOCKS ALL YEAR

DEFEAT THE SHOCKS ALL YEAR

DEFEAT THE SHOCKS ALL YEAR





DEFEAT THE SHOCKS

Guangzhou Kemei Sports Technology Co., Ltd
No.23, West Huadu Avenue, Tanbu Town,
Huadu District, Guangzhou, China
Mail:zwwk@exshoshock.com

Exsho Sport Technology (Kunshan) Co., Ltd.
Building 7, No. 58, Chenghu Road,
Development Zone, Kunshan City, Jiangsu, China
Mail:exsho@exshoshock.com

www.exshoshock.com